

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|-------|--|-----------------|------------------|
| 1 | BRS | L2 | 13109 | engine\$1 and (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or sens\$3 or detect\$3) and magnet\$1 | USPAT | 2005/12/11 12:48 |
| 2 | BRS | L3 | 0 | 1 and 2 | USPAT | 2005/12/11 12:42 |
| 3 | IS&R | L1 | 5 | ((("4548780") or ("5106202") or ("3044296") or ("5024714"))).PN. | USPAT; USOCR | 2005/12/11 12:42 |
| 4 | BRS | L4 | 748 | engine\$1 near15 (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or tolerance\$1 or "heat sensor") and magnet\$1 near15 (secur\$3 or fasten\$3 or attach\$3) | USPAT | 2005/12/11 13:30 |
| 5 | BRS | L5 | 277 | 4 and temperature\$1 near15 engine\$1 and (control\$4 or microcomputer\$1 or processor\$1 or microprocessor\$1 or "ASIC") near15 ("heat sensor" or detect\$3 or sens\$3) | USPAT | 2005/12/11 13:02 |
| 6 | BRS | L6 | 154 | 5 and (speaker\$1 or alarm\$3 or alert\$3 or warn\$3 or sound\$3 or audible\$1 or display\$3 or visual or message\$1 or light\$3 or light\$3) | USPAT | 2005/12/11 13:01 |
| 7 | BRS | L7 | 8 | 6 and ("heat sensor" or detect\$3 or sens\$3) near25 (outside or exterior or outer) near25 engine\$1 | USPAT | 2005/12/11 13:05 |
| 8 | BRS | L8 | 971 | engine\$1 near15 (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or tolerance\$1 or "heat sensor") and magnet\$1 near15 (secur\$3 or fasten\$3 or attach\$3) | US-PGPUB; USPAT | 2005/12/11 14:21 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|-----------------|------------------|
| 9 | BRS | L9 | 16 | 8 and (monitor\$3 or detect\$3 or sens\$3 or identiy or determin\$3 or verify or measur\$3) near15 temperature\$1 near15 engine\$1 and "overheat" | US-PGPUB; USPAT | 2005/12/11 14:24 |
| 10 | BRS | L10 | 0 | 9 and (340/411 or 340/441) | US-PGPUB; USPAT | 2005/12/11 13:54 |
| 11 | BRS | L11 | 0 | 9 and (340/449 or 340/450) | US-PGPUB; USPAT | 2005/12/11 14:19 |
| 12 | BRS | L12 | 0 | 9 and (340/650 or 340/685) | US-PGPUB; USPAT | 2005/12/11 15:45 |
| 13 | BRS | L13 | 3 | 9 and (123/41.15 or 123/421) | US-PGPUB; USPAT | 2005/12/11 14:16 |
| 14 | BRS | L14 | 4 | 9 and (123/335 or 123/417) | US-PGPUB; USPAT | 2005/12/11 14:16 |
| 15 | BRS | L15 | 0 | 9 and (340/500 or 340/507) | US-PGPUB; USPAT | 2005/12/11 14:19 |
| 16 | BRS | L16 | 0 | 9 and (374/124 or 374/130) | US-PGPUB; USPAT | 2005/12/11 14:19 |
| 17 | BRS | L17 | 0 | 9 and (374/144 or 374/163) | US-PGPUB; USPAT | 2005/12/11 14:20 |
| 18 | BRS | L18 | 0 | 9 and (73/346 or 73/22R) | US-PGPUB; USPAT | 2005/12/11 14:20 |
| 19 | BRS | L19 | 1031 | engine\$1 near25 (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or tolerance\$1 or "heat sensor") and magnet\$1 near25 (secur\$3 or fasten\$3 or attach\$3) | US-PGPUB; USPAT | 2005/12/11 14:22 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|-----------------|------------------|
| 20 | BRS | L20 | 304 | (temperature\$1 or "overheat" or heat\$3 or thermal or hot\$4 or tolerance\$1 or "heat sensor") near15 (level\$1 or degree\$1 or intensity) and 19 | US-PGPUB; USPAT | 2005/12/11 14:23 |
| 21 | BRS | L21 | 96 | 20 and (monitor\$3 or detect\$3 or sens\$3 or identiy or determin\$3 or verify or measur\$3) near15 temperature\$1 near15 engine\$1 | US-PGPUB; USPAT | 2005/12/11 14:25 |
| 22 | BRS | L22 | 7 | 21 and "340"/\$.ccls. | US-PGPUB; USPAT | 2005/12/11 14:28 |
| 23 | BRS | L23 | 43 | 21 and "123"/\$.ccls. | US-PGPUB; USPAT | 2005/12/11 14:32 |
| 24 | BRS | L24 | 1 | 21 and "374"/\$.ccls. | US-PGPUB; USPAT | 2005/12/11 14:32 |
| 25 | BRS | L25 | 0 | 9 and (340/426.15 or 340/438) | US-PGPUB; USPAT | 2005/12/11 15:46 |
| 26 | BRS | L26 | 1 | 21 and (340/426.15 or 340/438) | US-PGPUB; USPAT | 2005/12/11 15:46 |
| 27 | BRS | L27 | 0 | 21 and (340/458 or 340/459) | US-PGPUB; USPAT | 2005/12/11 15:51 |
| 28 | BRS | L28 | 0 | 21 and 340/870.17 | US-PGPUB; USPAT | 2005/12/11 15:49 |
| 29 | BRS | L29 | 0 | 9 and 340/870.17 | US-PGPUB; USPAT | 2005/12/11 15:49 |
| 30 | BRS | L30 | 1 | (21 or 9) and (340/581 or 340/584) | US-PGPUB; USPAT | 2005/12/11 15:53 |
| 31 | BRS | L31 | 0 | (21 or 9) and (340/588 or 340/589) | US-PGPUB; USPAT | 2005/12/11 15:53 |